




H O B B Y

*DIY*



## H0

### Frese per elettrofresatrici portatili Z2+1

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	L	ØS=6	ØS=6,35	ØS=8
2 *	6	50	H0.020.A	H0.020.B	
3 *	8	50	H0.030.A	H0.030.B	H0.030.C
4 *	10	50	H0.040.A	H0.040.B	H0.040.C
5 *	15	50	H0.050.A	H0.050.B	H0.050.C
6 *	18	50	H0.060.A	H0.060.B	H0.060.C
6 *	25	60	H0.061.A	H0.061.B	H0.061.C
7	20	50	H0.070.A	H0.070.B	H0.070.C
8	20	50	H0.080.A	H0.080.B	H0.080.C
8	30	60	H0.081.A	H0.081.B	H0.081.C
9	20	50	H0.090.A	H0.090.B	H0.090.C
10	20	50	H0.100.A	H0.100.B	H0.100.C
10	30	50	H0.101.A	H0.101.B	H0.101.C
11	20	50	H0.110.A	H0.110.B	H0.110.C
12	20	50	H0.120.A	H0.120.B	H0.120.C
12	30	60	H0.121.A	H0.121.B	H0.121.C
13	20	50	H0.130.A	H0.130.B	H0.130.C
14	20	50	H0.140.A	H0.140.B	H0.140.C
15	20	50	H0.150.A	H0.150.B	H0.150.C
16	20	50	H0.160.A	H0.160.B	H0.160.C
18	20	50	H0.180.A	H0.180.B	H0.180.C
20	20	50	H0.200.A	H0.200.B	H0.200.C
22	20	50	H0.220.A	H0.220.B	H0.220.C
24	20	50	H0.240.A	H0.240.B	H0.240.C
25	20	50	H0.250.A	H0.250.B	H0.250.C



\* HM integrale  
Solid carbide  
VHM  
Monobloc  
MD integral

## H1


### Frese per elettrofresatrici portatili Z2

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles




A	ØD	I	ØS=6	ØS=8
5	11	18	H1.050.A	H1.050.C



## Frese per elettrofresatrici portatili Z2+1

H01




Router bits for electric routers | Shaftfräser für Handoberfräsmaschinen | Mèches pour defonseuse portative | Fresas para electrofresadoras portátiles

ØD	I	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
12,7	20	60	H01.127.A	H01.127.B			
12,7	25	65		H01.128.B			
13	20	60	H01.130.A				
15	31,7	70	H01.150.A				
16	20	60			H01.160.C		
19	20	60	H01.190.A	H01.190.B	H01.190.C		
19	25	65	H01.191.A	H01.191.B		H01.191.E	H01.191.F
19	38	82				H01.192.E	H01.192.F
19	50	92				H01.193.E	H01.193.F



Ref.			Ref.		
H01.127.A	R188ZZ	1W.001	H01.190.C	698ZZ	1W.003
H01.127.B	R188ZZ	1W.002	H01.191.A	626ZZ	1W.001
H01.128.B	R188ZZ	1W.002	H01.191.B	R4AZZ	1W.002
H01.130.A	686ZZ	1W.001	H01.191.E	ER1212ZZ	1W.004
H01.150.A	696ZZ	1W.001	H01.191.F	ER1212ZZ	1W.005
H01.160.C	688ZZ	1W.003	H01.192.E	ER1212ZZ	1W.004
H01.190.A	626ZZ	1W.001	H01.192.F	ER1212ZZ	1W.005
H01.190.B	R4AZZ	1W.002	H01.193.E	ER1212ZZ	1W.004
			H01.193.F	ER1212ZZ	1W.005



## Frese per elettrofresatrici portatili Z2

H2



Router bits for electric routers | Shaftfräser für Handoberfräsmaschinen | Mèches pour defonseuse portative | Fresas para electrofresadoras portátiles

ØD	I	L	A	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
8	9	40	9°	H2.080.A		H2.080.C		
9,5	9,5	42	9°	H2.095.A	H2.095.B	H2.095.C		
11	10	40	9°	H2.110.A		H2.110.C		
12,7	12,7	50	14°	H2.127.A	H2.127.B	H2.127.C	H2.127.E	H2.127.F
14	15	45	10°	H2.140.A		H2.140.C		
16	22	63	7°				H2.160.E	H2.160.F
19	22	63	7°	H2.190.A		H2.190.C		



## Frese per elettrofresatrici portatili Z2

H3



Router bits for electric routers | Shaftfräser für Handoberfräsmaschinen | Mèches pour defonseuse portative | Fresas para electrofresadoras portátiles

ØD	I	A	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
15	18	22°	47	H3.220.A	H3.220.B	H3.220.C		
16	14	60°	45	H3.600.A	H3.600.B	H3.600.C		
16	14	60°	55				H3.601.E	H3.601.F
25,4	14	90°	65				H3.900.E	H3.900.F



## H5

### Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	A	L	ØS=6	ØS=8	ØS=12	ØS=12,7
6	8	45°	45	H5.451.A	H5.451.C		
9,5	11	45°	45	H5.452.A	H5.452.C		
12,7	13	45°	45	H5.453.A	H5.453.C		
19	13	45°	45	H5.450.A	H5.450.C		
19	13	45°	55			H5.454.E	H5.454.F
30	18	45°	48	H5.455.A	H5.455.C		
38	19	45°	63		H5.456.C		
38	19	45°	70			H5.457.E	H5.457.F



## H6

### Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	A	L	ØS=6	ØS=6,35	ØS=8
12	12	22°	42	H6.220.A	H6.220.B	H6.220.C
12	12	30°	42	H6.300.A	H6.300.B	H6.300.C
12	12	45°	42	H6.450.A	H6.450.B	H6.450.C



## H7

### Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	A	L	ØS=6	ØS=6,35	ØS=8
24	14	10°	44	H7.100.A	H7.100.B	H7.100.C
24	14	15°	44	H7.150.A	H7.150.B	H7.150.C
24	12	30°	42	H7.300.A	H7.300.B	H7.300.C
24	9	45°	40	H7.450.A	H7.450.B	H7.450.C



## Frese per elettrofresatrici portatili Z2

H8

Router bits for electric routers		Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portátiles	
ØD	I	L	ØS=6	ØS=6,35	ØS=8		
19	12,7	45	H8.190.A	H8.190.B	H8.190.C		



## Frese per elettrofresatrici portatili Z1+1

H10

Router bits for electric routers		Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portátiles	
ØD	I	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
6	15		H10.060.A	H10.060.B	H10.060.C		
8	19		H10.080.A	H10.080.B	H10.080.C		
12,7	31					H10.127.E	H10.127.F
12,7	50					H10.128.E	H10.128.F



## Frese per elettrofresatrici portatili Z2

H11

Router bits for electric routers		Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portátiles		
ØD	I	R	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
3,2	10	1,6	45	H11.016.A	H11.016.B	H11.016.C		
6	11	3	42	H11.030.A	H11.030.B	H11.030.C		
6	26	3	70	H11.031.A				
8	13	4	43	H11.040.A	H11.040.B	H11.040.C		
8	32	4	80			H11.041.C		
9,5	25	4,8	65				H11.048.E	H11.048.F
10	15	5	45	H11.050.A	H11.050.B	H11.050.C		
12	16	6	46	H11.060.A	H11.060.B	H11.060.C		
12,7	32	6,4	75				H11.064.E	H11.064.F
14	16	7	46	H11.070.A	H11.070.B	H11.070.C		
16	16	8	46	H11.080.A	H11.080.B	H11.080.C		
16	16	8	56				H11.081.E	H11.081.F
16	32	8	75				H11.082.E	H11.082.F
19	32	9,5	75				H11.095.E	H11.095.F
20	20	10	50	H11.100.A	H11.100.B	H11.100.C		
20	20	10	60				H11.101.E	H11.101.F
22	32	11	75				H11.110.E	H11.110.F
24	16	12	46			H11.120.C		
24	16	12	56				H11.121.E	H11.121.F
25,4	32	12,7	75				H11.127.E	H11.127.F
30	16	15	46			H11.150.C		
30	16	15	56				H11.151.E	H11.151.F
40	23	20	63				H11.200.E	H11.200.F



## H13

### Frese per elettrofresatrici portatili Z2




Router bits for electric routers			Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7	
12	10	3	H13.030.A	H13.030.B	H13.030.C			
14	10	4	H13.040.A	H13.040.B	H13.040.C			
16	10	5	H13.050.A	H13.050.B	H13.050.C			
18	12	6	H13.060.A	H13.060.B	H13.060.C	H13.060.E		
24	12	6				H13.061.E		
22	12	8	H13.080.A	H13.080.B	H13.080.C	H13.080.E		
28	12	8				H13.081.E		
26	14	10	H13.100.A		H13.100.C	H13.100.E		
32	14	10				H13.101.E		
30	19	12			H13.120.C	H13.120.E		
36	19	12				H13.121.E		
42	21	15				H13.150.E		
52	26	20				H13.200.E	H13.200.F	
63	32	25				H13.250.E	H13.250.F	




## H13/01

### Frese per elettrofresatrici portatili Z2




Router bits for electric routers			Shaftfräser für Handoberfräsmaschinen			Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	Ød	I	R	L	ØS=6	ØS=8			
8	2	10	3	50	H13/01.030.A	H13/01.030.C			
10	2	10	4	50	H13/01.040.A	H13/01.040.C			
12	2	10	5	50	H13/01.050.A	H13/01.050.C			



## H15

### Frese per elettrofresatrici portatili Z2



Router bits for electric routers			Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	I	R	ØS=6	ØS=6,35	ØS=8			
19	13	3	H15.030.A	H15.030.B	H15.030.C			
23	19	4	H15.040.A	H15.040.B	H15.040.C			
28	19	5	H15.050.A	H15.050.B	H15.050.C			
33	30	6	H15.060.A	H15.060.B	H15.060.C			



## Frese per elettrofresatrici portatili Z2

H18



Router bits for electric routers			Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7	
19	12	3	H18.030.A	H18.030.B	H18.030.C	H18.030.E	H18.030.F	
22	16	4	H18.040.A	H18.040.B	H18.040.C	H18.040.E	H18.040.F	
25	19	5	H18.050.A	H18.050.B	H18.050.C	H18.050.E	H18.050.F	
27	22	6	H18.060.A	H18.060.B	H18.060.C	H18.060.E	H18.060.F	
31	25	8	H18.080.A	H18.080.B	H18.080.C	H18.080.E	H18.080.F	
35	30	10	H18.100.A	H18.100.B	H18.100.C	H18.100.E	H18.100.F	
39	34	12				H18.120.E	H18.120.F	
45	42	15				H18.150.E	H18.150.F	



## Frese per elettrofresatrici portatili

H19



Router bits for electric routers			Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	I	R	L	ØS=6	ØS=8			
				H19.060.A	H19.060.C			


626 ZZ



## Frese per elettrofresatrici portatili


H21

Router bits for electric routers		Shaftfräser für Handoberfräsmaschinen		Mèches pour defonseuse portative		Fresas para electrofresadoras portatiles	
ØD	Ød	B	Part Number				
47,6	6	1,5	H21.015.A				
47,6	6	1,8	H21.018.A				
47,6	6	2	H21.020.A				
47,6	6	2,2	H21.022.A				
47,6	6	2,5	H21.025.A				
47,6	6	2,8	H21.028.A				
47,6	6	3	H21.030.A				
47,6	6	3,2	H21.032.A				
47,6	6	3,5	H21.035.A				
47,6	6	4	H21.040.A				
47,6	6	5	H21.050.A				
47,6	6	6	H21.060.A				



9

## H22



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	Ød	B	Part Number
40	6	1,5	H22.015.A
40	6	1,8	H22.018.A
40	6	2	H22.020.A
40	6	2,2	H22.022.A
40	6	2,5	H22.025.A
40	6	2,8	H22.028.A
40	6	3	H22.030.A
40	6	3,2	H22.032.A
40	6	3,5	H22.035.A
40	6	4	H22.040.A
40	6	5	H22.050.A
40	6	6	H22.060.A

## H23

### Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
9,5	12,7	55	H23.095.A	H23.095.B	H23.095.C		
9,5	25,4	68	H23.096.A	H23.096.B	H23.096.C		
12,7	12,7	57	H23.127.A	H23.127.B	H23.127.C		
12,7	25,4	67	H23.128.A	H23.128.B	H23.128.C		
12,7	25,4	75				H23.127.E	H23.127.F
12,7	38	90				H23.128.E	H23.128.F
12,7	50,8	103				H23.129.E	H23.129.F
13	15	55	H23.130.A	H23.130.B	H23.130.C		
13	25	67	H23.133.A				
13	30	70	H23.131.A	H23.131.B	H23.131.C		
13	40	80			H23.132.C		
16	15	55	H23.160.A	H23.160.B			
19	15	57	H23.190.A	H23.190.B	H23.190.C		
19	25	63	H23.191.A	H23.191.B	H23.191.C		
19	40	82			H23.192.C		
19	25	75				H23.193.E	H23.193.F
19	40	90				H23.194.E	H23.194.F
19	50,8	104				H23.195.E	H23.195.F



1V.005



1V.008



625 ZZ - 626 ZZ - R166 ZZ



## Frese per elettrofresatrici portatili Z2

H24

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	A	L	ØS=6	ØS=8	ØS=12	ØS=12,7
15°	19	12		H24.150.A	H24.150.C		
15°	24,5	22				H24.151.E	H24.151.F
22,5°	31	22				H24.225.E	H24.225.F
25°	23	11		H24.251.A	H24.251.C		
30°	15	10		H24.300.A	H24.300.C		
30°	38,5	22				H24.301.E	H24.301.F
45°	32	10		H24.450.A	H24.450.C		
45°	39	13		H24.451.A	H24.451.C		
45°	45	18				H24.452.E	H24.452.F
45°	53	20				H24.453.E	H24.453.F
45°	65	26				H24.454.E	H24.454.F



624 ZZ

1V.008

## Frese per elettrofresatrici portatili Z2


H25

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	A	L	ØS=6	ØS=6,5	ØS=8
28	12	45°		H25.450.A	H25.450.B	H25.450.C



1V.007



625 ZZ

## Frese per elettrofresatrici portatili Z2

H26

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
26	12	4	H26.040.A	H26.040.B	H26.040.C	H26.040.E	H26.040.F
28,5	11	4,8	H26.048.A	H26.048.B	H26.048.C	H26.048.E	H26.048.F
35	10	6,4	H26.064.A	H26.064.B	H26.064.C	H26.064.E	H26.064.F



1V.005



1V.008



624 ZZ - 626 ZZ - R166 ZZ

## H28


## Frese per elettrofresatrici portatili Z2

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



624 ZZ - 626 ZZ - R166 ZZ

ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
17	10	1,6	H28.016.A	H28.016.B	H28.016.C		
18	10	2	H28.020.A	H28.020.B	H28.020.C		
19	10	3	H28.030.A	H28.030.B	H28.030.C		
19	10	3,2		H28.032.B			
21	10	4	H28.040.A	H28.040.B	H28.040.C		
22	10	4,8		H28.048.B			
23	10	5	H28.050.A	H28.050.B	H28.050.C		
25	12	6	H28.060.A	H28.060.B	H28.060.C	H28.060.E	
26	12,7	6,35		H28.063.B			H28.063.F
29	12	8	H28.080.A	H28.080.B	H28.080.C	H28.080.E	
32	15	9,5		H28.095.B		H28.095.E	H28.095.F
33	15	10	H28.100.A	H28.100.B	H28.100.C	H28.100.E	
38	20	12,7				H28.127.E	H28.127.F
37	19	12	H28.120.A	H28.120.B	H28.120.C	H28.120.E	
43	21	15			H28.150.C	H28.150.E	
45	23	16				H28.160.E	H28.160.F
51	26	19				H28.190.E	H28.190.F
53	26	20			H28.200.C	H28.200.E	
57	28	22				H28.220.E	H28.220.F
63	32	25				H28.250.E	
63	32	25,4				H28.254.E	H28.254.F



## H29



## Frese per elettrofresatrici portatili Z2

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
17	10	1,6	H29.016.A	H29.016.B	H29.016.C		
18	10	2	H29.020.A	H29.020.B	H29.020.C		
19	10	3	H29.030.A	H29.030.B	H29.030.C		
19	10	3,2		H29.032.B			
21	10	4	H29.040.A	H29.040.B	H29.040.C		
22	10	4,8		H29.048.B			
23	10	5	H29.050.A	H29.050.B	H29.050.C		
25	12	6	H29.060.A	H29.060.B	H29.060.C	H29.060.E	
26	12,7	6,35		H29.063.B			H29.063.F
29	12	8	H29.080.A	H29.080.B	H29.080.C	H29.080.E	
32	15	9,5		H29.095.B		H29.095.E	H29.095.F
33	15	10	H29.100.A	H29.100.B	H29.100.C	H29.100.E	
38	20	12,7				H29.127.E	H29.127.F
37	19	12	H29.120.A	H29.120.B	H29.120.C	H29.120.E	
43	21	15			H29.150.C	H29.150.E	
45	23	16				H29.160.E	H29.160.F
51	26	19				H29.190.E	H29.190.F
53	26	20			H29.200.C	H29.200.E	
57	28	22				H29.220.E	H29.220.F
63	32	25				H29.250.E	
63	32	25,4				H29.254.E	H29.254.F



## Frese per elettrofresatrici portatili Z2

H30

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
29	13	4	H30.040.A	H30.040.B	H30.040.C	H30.040.E	H30.040.F
38	18	6,35	H30.063.A	H30.063.B	H30.063.C	H30.063.E	H30.063.F



## Frese per elettrofresatrici portatili Z2

H33

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
21	12	4	H33.040.A		H33.040.C		
22,2	12	4,8		H33.048.B			H33.048.F
23	12	5	H33.050.A		H33.050.C		
25	12	6	H33.060.A		H33.060.C		
25,4	12	6,35		H33.063.B			H33.063.F
29	12	8	H33.080.A		H33.080.C	H33.080.E	
31,7	12	9,5		H33.095.B			H33.095.F
33	12	10	H33.100.A		H33.100.C	H33.100.E	
37	16	12	H33.120.A		H33.120.C	H33.120.E	
38,1	15,5	12,7		H33.127.B			H33.127.F
43	17	15				H33.150.E	
53	23	20				H33.200.E	



## Frese per elettrofresatrici portatili Z2

H34

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
25	12	10	H34.100.A		H34.100.C		



### H35

## Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	R	ØS=8	ØS=12
44	25	8-4	H35.080.C	H35.080.E



### H36

## Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles


ØD	I	A	ØS=6	ØS=6,35	ØS=8
41	12	25°	H36.250.A	H36.250.B	H36.250.C



1V.008




MR104.ZZ



### H37

## Frese per elettrofresatrici portatili Z2



Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles

ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
29	20	4	H37.040.A	H37.040.B	H37.040.C	H37.040.E	H37.040.F
37	20	6	H37.060.A	H37.060.B	H37.060.C	H37.060.E	H37.060.F



1V.008



624.ZZ



## Frese per elettrofresatrici portatili Z2

H38

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
29	12	4	H38.040.A	H38.040.B	H38.040.C	H38.040.E	H38.040.F
37	18	6	H38.060.A	H38.060.B	H38.060.C	H38.060.E	H38.060.F



## Frese per elettrofresatrici portatili Z2

H39


Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

ØD	I	R	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
29	12	4	H39.040.A	H39.040.B	H39.040.C	H39.040.E	H39.040.F
37	18	6	H39.060.A	H39.060.B	H39.060.C	H39.060.E	H39.060.F



## Frese per elettrofresatrici portatili Z2

H40

Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

ØD	I	R	ØS=6	ØS=8
25	12	4	H40.250.A	H40.250.C
33	12	6	H40.330.A	H40.330.C
43	12	4		H40.400.C



## H41


### Frese per elettrofresatrici portatili per scanalatura T Z2

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	Ød	I	L1	L	ØS=12	ØS=12,7
28	11	8,5	13,5	60	H41.280.E	H41.280.F
30	9,5	8	17,5	60	H41.300.E	H41.300.F
34,9	12,7	9,5	22	63	H41.349.E	H41.349.F



## H42


### Frese per elettrofresatrici portatili per scanalatura T

Router bits for electric routers







Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	Ød	I	L1	L	ØS=12	ØS=12,7
37,3	9,5÷19	22,2	60	22,5	H42.373.E	H42.373.F



## H43


### Frese per elettrofresatrici portatili per scanalatura T Z2

Router bits for electric routers



Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	L1	L2	A	B	L	ØS=6	ØS=6,35	ØS=8	ØS=12	ØS=12,7
25,4	4	12,7	9,5 ÷ 16	8	3,2	54			H43.254.C	H43.254.E	H43.254.F
31,7	6	12,7	16 ÷ 25,4	12	3,2	44,5	H43.317.A	H43.317.B	H43.317.C		
50,8	6	12,7	16 ÷ 25,4	12	3,2	50,8				H43.508.E	H43.508.F



## Frese per elettrofresatrici portatili per scanalatura T Z2

H44




Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

ØD	I	A°	L1	L2	L	ØS=12	ØS=12,7
50,8	9,5 ÷ 19	45°	22,2	5,4	60	H44.508.E	H44.508.F
70	15 ÷ 28,5	45°	31,7	9,7	70	H44.700.E	H44.700.F



## Frese per elettrofresatrici portatili per scanalatura T Z2

H45





Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

R	ØD	L	I	ØS=12	ØS=12,7
3,2	38	48	6,4	H45.320.E	H45.320.F



## Frese per elettrofresatrici portatili per scanalatura T Z2

H46




Router bits for electric routers

Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portatiles

TIPO	ØD	L	L1	I	R	S=12	S=12,7
A	44,4	71	18 ÷ 22	6	6	H46.441.E	H46.441.F
B	44,4	71	18 ÷ 22	6	8	H46.442.E	H46.442.F
C	44,4	71	18 ÷ 22	6	10	H46.443.E	H46.443.F



H46.001



608 ZZ



Rondella Ø 8  
Din 934



M8 - Din 934

## H47


### Frese per elettrofresatrici portatili per scanalatura T Z2

Router bits for electric routers



Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	I	A	L1	L	ØS=12	ØS=12,7
40	25,4	30°	6,35	75	H47.400.E	H47.400.F



## H48


### Frese per elettrofresatrici portatili per scanalatura T Z2

Router bits for electric routers



Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



R	ØD	I	L	ØS=8	ØS=12	ØS=12,7
6,35	12,7	11	57	H48.063.C		
8	16	14	60	H48.080.C	H48.080.E	H48.080.F
9,5	19	17,5	63	H48.095.C	H48.095.E	H48.095.F
12,7	25,4	23,5	70		H48.127.E	H48.127.F



## H50


### Frese per elettrofresatrici portatili per scanalatura T Z2 - Alucobond

Router bits for electric routers


Shaftfräser für Handoberfräsmaschinen

Mèches pour defonseuse portative

Fresas para electrofresadoras portátiles



ØD	Ød	A°	L	L1	LT	Part Number
18	3	90°	10	8	60	H50.090
18	2	135°	10	3,3	60	H50.135









F.U.L. S.r.l.

